



SOUTHERN SHUTTER COMPANY



EXTERIOR WOOD SHUTTERS • VENTILATORS

SHUTTER MOUNTING HARDWARE

Telephone 334.264.6158 • Toll Free 1.800.344.8590 • Fax 334.264.6001

www.southernshutter.com

email: sales@southernshutter.com



S O U T H E R N S H U T T E R C O M P A N Y

ENDURING VALUES

A leading manufacturer of superior-grade shutters and ventilators since 1965, Southern Shutter Company manufactures quality wood products using high-grade materials and fine craftsmanship.

Though our production facility is fully equipped to produce precision-cut wood components in high-volume, we have never abandoned the hands-on approach to quality construction. Each piece is carefully fitted by a Southern Shutter craftsman.

All custom work is hand executed with precise attention to your specifications.

ATTENTION TO DETAIL

Southern Shutter Company manufactures four standard interior shutter designs, seven standard exterior shutter designs, and ventilators of all configurations. Our extensive line is available in standard lengths and widths.

Louvered ventilators are constructed with easy installation and durability in mind. All weather-exposed components are made of Western Red Cedar. Vents are available in a variety of rough opening sizes and shapes including gable styles.

From custom work to high capacity production, Southern Shutter delivers.



CUSTOM CONFIGURATIONS TO MEET YOUR STYLE AND SPECIFICATIONS

Client options increase significantly given our custom capabilities. All possible combinations of Southern Shutter's designs, both exterior and interior, can be cut to client specifications. Any order can be custom tailored to meet designs and delivery schedules required. Arched tops, Palladiums, Sunbursts and Rake-top treatments are available on most shutter variations. Radius options can also be applied to vents for specific applications.

Southern Shutter Company provides decorative inlaying and routing for raised panel shutters. To help ensure proper installation, a full line of hard to find exterior and interior shutter hardware is available including cast iron hinges, brass bi-fold hinges, hold-backs and magnetic catches.

The enduring values of the Southern Shutter Company are crafted into each design and passed to the customer.

Whether you select from our full line of standard shutter styles or request custom wood products, Southern Shutter builds to your specifications.



PRE-FINISHING OPTIONS FOR EXTERIOR SHUTTERS

QUALITY SHUTTERS DESERVE A QUALITY FINISH.

As an added service to our customers Southern Shutter Company is proud to offer our exterior shutters made from Western Red Cedar pre-finished and ready to install.

Option 1: Spray Primed. Each shutter is spray primed with an oil-based sealing primer on all 6 sides.

Option 2: Pre-Sanded and Primed; Ready for Finishing. Each shutter is sanded and primed with oil-based primer; then it is sanded again in preparation for final finishing.

Option 3: Pre-Sanded and Finished; Ready for Installation. Each shutter is sanded, primed with oil-based primer and sanded again. The primed shutter is then finished with a premium exterior paint in your choice of color.

For more information contact your Southern Shutter representative.

EXTERIOR WOOD SHUTTERS

EXTERIOR TRUE LOUVER SHUTTERS

STANDARD TRUE LOUVER. High-quality materials, fine craftsmanship and design establish the 1-1/8" True Louver shutter as a classic addition in new construction or renovation projects. True Louvers feature mortise & tenon construction and hand assembly. Using high-quality Western Red Cedar, a naturally decay-resistant wood, our true louver shutters readily accept stain or are easily painted when properly primed.

This solid wood shutter's light-weight and durable design allows for several installation options and may be completed with our full line of hard-to-find hinge and tie-back hardware.


True Louver shutters are available in all standard lengths and widths. Additionally, our unique manufacturing operation accommodates your individualized needs with radius work, special rail placement, as well as custom widths and lengths.

HEAVY DUTY TRUE LOUVER. The 1-3/8" Heavy-Duty True Louver shutter is built using heavier stiles, rails and slats than many shutters and is ideal for any home that demands superior quality. The design features a beaded stile with recessed rails, giving this shutter a distinctive appearance capable of enhancing the character of any home.

Hand selected, naturally decay-resistant Western Red Cedar is the wood of choice for this application. Straight and light weight, nothing matches its performance. Semi-transparent and solid color stains are an excellent finish. When painted, a good quality, fast drying, oil based primer should be used. Left unfinished cedar will silver and remain maintenance free.

Our craftsmen use mortise & tenon construction with exterior wood glue to guarantee rigid construction. Heavy-duty true louvers allow for 3/4" trim on the top and bottom rails making installation simple. Heavy-duty true louvers lend themselves to a variety of hanging options, which can be completed with hinges and tie-backs from our full line of hard-to-find hardware.

DESIGN VARIATIONS



Cottage Style
40-60 Center Rail
Placement

Curved
Top

SPECIFICATIONS

STANDARD TRUE LOUVER

SIDE STILES	1-1/2" wide	1-1/8" thick
TOP RAIL	2-3/8" wide	1-1/8" thick
CENTER RAIL	2-3/8" wide	1-1/8" thick
BOTTOM RAIL	3-7/16" wide	1-1/8" thick
LOUVERS	1-3/8" wide	1/4" thick

HEAVY DUTY TRUE LOUVER

2" wide	1-3/8" thick
4" wide	1-3/16" thick
3" wide	1-3/16" thick
4" wide	1-3/16" thick
1-5/8" wide	3/8" thick

EXTERIOR WOOD SHUTTERS


EXTERIOR EUROPEAN STYLE SHUTTERS

EXTERIOR EUROPEAN STYLE SHUTTERS. These versatile shutters/doors are stunning examples of fine millwork. Incorporating authentic mortise and tenon construction with oversized stiles, rails, and a 2-1/2" beveled slat to create an exterior louvered shutter/door that is as beautiful as it is solid. Each tenon is secured with non-reactive polymer pins. This historically correct approach towards construction utilizes no mechanical fasteners.

Hand selected Western Red Cedar, a naturally decay-resistant wood, is choice for this application. Straight and light in weight, nothing matches the performance of Western Red Cedar. Semi-transparent and solid color stains are an excellent finish option. When painted, a good quality, fast drying, oil based primer should be used. Left unfinished cedar will silver and remain maintenance free for years.

This shutter features 1-3/8" flush stile and rail construction. Shutter design incorporates a 1 inch trim on top and bottom rails. For unsurpassed quality, the European style shutter is the finest available.

DESIGN VARIATIONS

Cottage Style
40-60 Center Rail
PlacementCurved
Top


EXTERIOR SAVANNAH PLANTATION SHUTTERS

EXTERIOR SAVANNAH PLANTATION SHUTTER. These classic shutters enhance restored vintage buildings and add classic detailing to new constructions, but this all wood shutter is more than an elegant fashion treatment. This movable louver shutter is durable and totally functional. It lends itself to a variety of creative hanging options, which can be completed with hinges and tie-backs from our full line of hard-to-find hardware.

Our craftsmen use mortise & tenon construction and hand-selected Western Red Cedar, a naturally decay-resistant wood, for assembly of this movable louver shutter. Cedar readily accepts stain and is easily painted when a quality oil base primer is used.

Shutters are available with 1-7/8, 2-1/2 and 3-1/2 inch louver blade widths. Rigid construction allows for a 1-1/2 inch trim on the top and bottom rails.

DESIGN VARIATIONS

Cottage Style
40-60 Center Rail
PlacementCurved
Top

SPECIFICATIONS

SIDE STILES

2-3/4" wide

1-3/8" thick

TOP RAIL

4" wide

1-3/8" thick

CENTER RAIL

4" wide

1-3/8" thick

BOTTOM RAIL

4" wide

1-3/8" thick

LOUVERS

2-1/2" wide

3/8" thick

SAVANNAH PLANTATION SHUTTER

1-3/4" wide

1-1/8" thick

4-1/2" wide

15/16" thick

4-1/4" or 3-3/16" wide

15/16" thick

4-1/2" wide

15/16" thick

1-7/8", 2-1/2"

3/8" thick

or 3-1/2" wide



EXTERIOR WOOD SHUTTERS

EXTERIOR RAISED PANEL SHUTTERS

STANDARD 1-1/8" RAISED PANEL. These shutters add beauty and value to new or vintage homes. Made from beautiful Western Red Cedar, these shutters feature mortise-and-tenon construction for durability. The panels are free to expand and contract according to weather conditions. Light-weight, durable designs allows for a variety of installation choices, which can be completed with hinges and tie-backs from our full line of hard-to-find hardware. The standard panel layout is made in two equal sections. Three panel layouts are available in configurations such as those pictured below or cross rails may be custom placed. Curve top shutters are also available as well as decorative cut-outs. The raised panel style readily mixes with louvered designs to create custom shutter variations. The true louver/raised panel combination (pictured, left) is a popular choice.

Available in standard lengths and widths, these shutters are naturally decay-resistant and accept stain or paint. Semi-transparent and solid color stains are an excellent finishing option. When painted, a good quality, fast drying, oil based primer should be used. Left unfinished cedar will silver and remain maintenance free for years.


HEAVY DUTY 1-3/8" RAISED PANEL.

The heavy-duty raised panel shutters are built from the same Western Red Cedar using heavier stiles and rails making them ideal for any home that demands superior quality. These heavy duty shutters also

incorporate mortise-and-tenon construction and exterior wood glue to guarantee rigid construction and improved durability. The design features a beaded stile with recessed rails, giving this shutter a distinctive appearance capable of enhancing the character of any home.

Heavy-duty raised panels allow for 1/2" trim on the top and bottom rails making installation simple. Heavy-duty raised panels lend themselves to the same variety of design variations and creative hanging options as the standard raised panel shutters.

DESIGN VARIATIONS



(Combination)
True Louver &
Raised Panel

Custom Rail
Placement with
Cutout (right)

Raised Panel
with
Curved Top

SPECIFICATIONS

STANDARD RAISED PANEL

SIDE STILES	1-1/2" wide	1-1/8" thick
TOP RAIL	2-3/8" wide	1-1/8" thick
CENTER RAIL	2-3/8" wide	1-1/8" thick
BOTTOM RAIL	3-7/16" wide	1-1/8" thick
PANELS		3/4" thick

HEAVY DUTY RAISED PANEL

2" wide	1-3/8" thick
4" wide	1-3/16" thick
3" wide	1-3/16" thick
4" wide	1-3/16" thick
	3/4" thick



Optional decorative panel cutouts. Custom cutouts or carvings available by quote.

EXTERIOR WOOD SHUTTERS

EXTERIOR V-GROOVE
FLAT PANEL SHUTTERS

V-GROOVE FLAT PANEL SHUTTERS. A truly unique design is offered in both Flat Panel (left) and Raised Panel (below, right) configurations. Incorporating the same mortise-and-tenon construction as the Heavy-Duty Raised Panel shutter, these shutters use heavy-duty stiles and rails for superior quality and improved durability. The design also features a beaded stile with recessed rails which further enhances their appearance.

These all wood shutters are made from hand-selected Western Red Cedar, a naturally decay-resistant wood. When painted, a good quality, fast drying oil based primer should be used. Left unfinished cedar will silver and remain maintenance free for years.

Standard panel layout is two equal sections, or three panel and custom layouts are available.


V-Groove shutter panels allow for 1/2" trim on the top and bottom rails, making installation simple and offering a variety of hanging options. Installation can be completed with hinges and tie-backs from our full line of hard-to-find hardware.

(See Construction Specifications below.)


DESIGN VARIATIONS



Flat Panel
Cottage Style
40/60 Rail
Placement



True Louver/
V-Groove
Flat Panel
Combination



V-Groove
Flat Panel
with
Decorative
Cutout


EXTERIOR WOOD SHUTTERS

EXTERIOR V-GROOVE
RAISED PANEL SHUTTERS**EXTERIOR V-GROOVE RAISED PANEL SHUTTERS.**


A companion to the V-Groove Flat Panel Shutter (above, left), our V-Groove Raised Panel Shutters are constructed using the same rigid Heavy-Duty Raised Panel heavy-duty stiles and rails for superior quality. Mortise-and-tenon construction and exterior wood glue help maintain the sturdiness and improve durability.

The raised panel inserts add a unique design feature in addition to the beaded stile with recessed rails. Standard layout is two equal panels, or custom design configurations can also be ordered.


DESIGN VARIATIONS



Cottage Style
40/60
Center Rail
Placement



Custom Rail
Placement,
Small Center
Section



V-Groove
Raised Panel
with
Curved Top

SPECIFICATIONS**V-GROOVE FLAT & RAISED PANEL**

SIDE STILES	2" wide	1-3/8" thick
TOP RAIL	4" wide	1-3/16" thick
CENTER RAIL	2-15/16" wide	1-3/16" thick
BOTTOM RAIL	4" wide	1-3/16" thick
PANEL (FLAT)		3/4" thick
PANEL (RAISED)		3/4" thick

EXTERIOR WOOD SHUTTERS

EXTERIOR COPE STILE & RAIL RAISED PANEL SHUTTERS


COPE STILE & RAIL SHUTTERS. Our cope stile and rail raised panel shutter incorporates a traditional construction method to enhance the durability and beauty in a high end exterior shutter. The cope stile and rail construction (see detail below) provides added strength, and the carved molding on the stiles and rails adds an attractive border inside the panels for a beautiful finishing touch.

These all wood shutters are made from hand-selected Western Red Cedar, a naturally decay-resistant wood. When painted, a good quality, fast drying oil based primer should be used. Left unfinished cedar will silver and remain maintenance free for years.

Stainless steel fasteners and exterior wood glue help maintain the sturdy construction.

Top and bottom rails allow for 1/2 inch trim, making installation simple and offering a variety of hanging options. Installation can be completed with hinges and tie-backs from our full line of hard-to-find hardware.


Standard panel layout is two equal sections, or three panel and custom layouts are available.



Detail showing Cope Stile & Rail corner construction.

SPECIFICATIONS**V-GROOVE RAISED PANEL**

SIDE STILES	2-1/4" wide	1-3/8" thick
TOP RAIL	3-1/2" wide	1-3/8" thick
CENTER RAIL	3" wide	1-3/8" thick
BOTTOM RAIL	3-1/2" wide	1-3/8" thick
PANEL (RAISED)		3/4" thick
PANEL (FLAT)		3/4" thick

DESIGN VARIATIONS

3 Equal Panels

40/60 Rail Placement

Half Round Arch Top

EXTERIOR WOOD SHUTTERS

BOARD & BATTEN SHUTTERS

EXTERIOR BOARD & BATTEN SHUTTERS. Board and batten shutters offer a unique look that gives a Mediterranean feel and is also popular on ranch style architecture. The board and batten shutter is constructed from 1" cedar boards which are spaced equally with a small gap between the boards to allow for expansion. This heavy duty construction is sure to add quality and value to any home.


Hand selected Cedar, a naturally decay-resistant wood, is the preferred choice for this application. Straight and light in weight, nothing matches the performance of Cedar. Semi-transparent and solid color stains are an excellent finish option. When painted, a good quality, fast drying, oil based primer should be used. Left unfinished cedar will silver and remain maintenance free for years.

SPECIFICATIONS**VERTICAL BOARDS**

Board width is determined by overall shutter width or may be specified by the customer.

HORIZONTAL BOARDS

1" x 3-7/16" **NOTE:** All Board & Batten shutters over 42" in height are constructed with 3 horizontal boards.

DESIGN VARIATIONS

Custom Z-Rail Placement

Custom 3-Rail Placement

Board & Batten with Curved Top





EXTERIOR WOOD SHUTTERS

EXTERIOR BAHAMA STYLE SHUTTERS


EXTERIOR BAHAMA STYLE SHUTTERS.

Bahama style shutters, hung from the top of the window, add a distinctive Caribbean feel to any structure. They may also be used to replace awnings and in applications where there is insufficient spacing between windows for traditional shutters to be hung. Exterior Bahama shutters are crafted from naturally decay resistant Western Red Cedar using mortise & tenon construction. The 1-3/8" thick Bahama true louver shutter design features flush stile and rail construction, adding to its distinctive appearance.

Semi-transparent and solid color stains are an excellent finish. When painted, a good quality, fast drying, oil based primer should

be used. Left unfinished cedar will silver and remain maintenance free.

Shutters up to 32" in width may be manufactured without the use of a center sub-stile. Above 32" a sub-stile is recommended to help protect against warping of the louvers. Bahama mounting hardware, including hinges and telescoping push rods are available from our extensive hardware collection.

DESIGN VARIATIONS**SPECIFICATIONS**

SIDE STILES	2" wide	1-3/8" thick
TOP RAIL	4" wide	1-3/8" thick
CENTER RAIL	3" wide	1-3/8" thick
BOTTOM RAIL	4" wide	1-3/8" thick
SUBSTILE	2" wide	1-3/8" thick


EXTERIOR WOOD SHUTTERS

EXTERIOR SPANDREL SHUTTER PANELS




Spandrel panels in architecture have typically referred to a wall panel filling the space between the top of the window in one story of a building and the sill of the window in the story above. Through the years the term spandrel has become somewhat generic in that it refers to the filling of space between two similar objects on a building with a short, wide panel. For example, a spandrel could be used between the top of columns on a porch to block excessive afternoon sunlight or under balcony railings as a decorative accent.

Southern Shutter is proud to offer four different styles of spandrels — each one custom sized and built to order using mortise & tenon construction. These spandrel panels carry the same dimensions as the shutter styles for which they are named:

- Colonial Mortise & Tenon Spandrel Panel
- Exterior Savannah Plantation Spandrel Panel
- Heavy Duty True Louver Spandrel Panel
- Heavy Duty Raised Panel Spandrel Panel



Heavy Duty True Louver Spandrel

Heavy Duty Raised Panel Spandrel
with Scrolled StilesColonial Mortise & Tenon Spandrel
with Scrolled Stiles

Savannah Plantation Spandrel

ALL SPANDRELS ARE MADE TO ORDER. CALL WITH SPECIFICATIONS FOR PRICE QUOTE.

SHUTTER MOUNTING HARDWARE

Southern Shutter offers a complete line of quality manufactured mounting hardware for interior and exterior shutters. Our hardware provides the finishing touch for your functional, as well as decorative, shutter installation.


HARDWARE FOR EXTERIOR SHUTTERS



4" Heavy Duty Lag Pintel
(Black Powder Coat)



Hook & Latch Set
(4", 8" and 12" Lengths)
(Black Powder Coat)



Exterior Shutter Hinge Set
with Pintels (Black Finish)



Static Mount Kit
(Wood & Masonry)



Stainless Steel
Hook & Latch with
Rubber Grommet



Heavy Duty Plate Pintel Set
(Black Powder Coat)



Heavy Duty Shutter
Slide Bolt
(Black Powder Coat)



Exterior Shutter Hinge Set
with Pintels (Galvanized)



ACME Cast Iron Hinge Set
with Gravity Cam



Bullet Catch Shutter
Tie Back (Wood walls.)



Heavy Duty New York Style
Shutter "L" Hinge Set
(Black Powder Coat)



Pull Rings Without Plate (L)
& With Plate (R)
(Black Powder Coat)



Connecticut Style Hinge Set



Clark-Tip Cast Iron Hinge Set
with Gravity Cam



Bullet Catch Shutter
Tie Back (Masonry walls.)



Heavy Duty Strap Hinge Set
(Black Powder Coat)



Vintage S-Holdbacks Set
(Black Powder Coat)



Outside Casing Buildout
Hinge



Bahama Shutter Pushrod



Copper Shutter Cap



Bahama Shutter
Buildout Hinge

HARDWARE FOR INTERIOR SHUTTERS



Non-Mortise Wrap-Around
Hinge Set (Hinges only)



Non-Mortising Butt Hinge Set
(Hinges, Knobs, Catches)



Interior Butt Hinge Set
(Available in a variety of finishes)



Magnetic Catches

HOW TO CHOOSE CORRECT SHUTTER HARDWARE

Terminology

- **Pintel** - The male part of the hinge set that attaches to the house.
- **Strap** - The female part of the hinge set that attaches to the shutter.
- **Siding Material** - The siding material that is used on the house i.e. brick, plank, stucco.
- **Return Depth** - The distance in inches, from the window or window molding to the outer edge of the siding material.
- **Pintel Offset** - The distance in inches, between the plate that screws to the house and the pin that the strap sits on.
- **Strap Offset** - The distance in inches, from the pintel pin to the inner part of the strap when in the open position.
- **Hinge Throw** - The pintel offset plus the strap offset. The distance needed for the shutter to clear the siding material when in the open position.


Questions That Must Be Answered.

- What type of siding is on the house around the window? Ex. Brick, stucco, stone, plank, vinyl...
- What type of molding (180 brick mold, 1x4 flat mold etc...) is around the window or does the siding material butt up to the window with no molding at all?
- What is the return depth in inches, from the outside edge of the trim board to the face of the sash itself?
- How deep is the pocket or frame the shutter will close into.
- Where will the pintel be placed?

INSIDE MOUNT ON WINDOW TRIMMED

with wood or composite trim or brickmold/trim with appropriate depth for shutter pocket.


Note: Trim board must be as thick as the shutter, plus clearance for shutter rotation.



INSIDE MOUNT DIRECTLY TO STRUCTURE WITH NO TRIM OR BRICK MOLD CASING


with appropriate depth for shutter pocket.

Note: Strap and Pintel are equal allowing shutter to close flush.



INSIDE MOUNT WITH TRIM OR CASING


Allowing for closure inside window trim or brickmold and throwing out and around brick facing



A = Return Depth
B = Hinge Throw

OUTSIDE MOUNT WITH NO TRIM OR CASING

with little or no depth for shutter pocket





EXTERIOR WOOD SHUTTERS

EXTERIOR RED CEDAR VENTILATORS

EXTERIOR RED CEDAR VENTILATORS.

Select from a variety of ventilators crafted in octagonal, round, half-round, oval and rectangular shapes. Gable variations are also available. Southern Shutter Company manufactures a variety of standard design variations and can supply custom designed gable vents to meet any specifications.

Exposed exterior components are constructed of decay-resistant Western Red Cedar. These hand-crafted ventilators feature louvers with a special weather-resistant “rain stop” design as a deterrent to wind-driven rain. All ventilators are constructed 1/2 inch under rough opening sizes.

Western Red Cedar is naturally decay-resistant and is easily stained or painted with proper priming.




SPECIFICATIONS


All components exposed to weather are constructed of durable Western Red Cedar.

The following apply to vent configurations:

- 3-1/2" Jamb or 2-1/8" with drip seal
- Brick Mould



DESIGN VARIATIONS




INTERIOR WOOD SHUTTERS

EASY-FIT SHUTTERSETS

WINDOW MEASUREMENTS - OUTSIDE MOUNT


(No trimming required)



For shutters mounted on molding or walls outside the window frame, measure the width in 3 places (top, center, bottom). Measure the height in 3 places (left, center, right). Use the **LARGEST** measurements. (See diagram above.)

WINDOW MEASUREMENTS - INSIDE MOUNT

(Some trimming may be required)



For shutters mounted inside the window casing, first check the depth of the opening. Measure the width in 3 places (top, center, bottom) and the height in 3 places (left, center, right). Use the **SMALLEST** measurements. (See diagram above.)




The classic look of the bi-fold shutter set is sure to enhance the decor of any home or office. 1-1/4" slats give this shutter set an old time charm. Available in lengths up to 40" this set is designed to cover half a window or may be double hung to cover the window entirely.

Each set comes with hanging strips, brass plated mounting hardware, and a hook and knob set. Shutters may be mounted inside or outside the window jamb. No trimming (width) is required for outside the jamb mounts. If mounted inside the jamb each shutter stile will trim 1/2" in width and 2" top and bottom for length. Available in a full range of widths and lengths this shutter set is sure to add charm and character to any structure.


HORIZONTAL WOOD BLINDS

MEASURING FOR OUTSIDE MOUNT:



Measure the exact height and width of the area to be covered. Blinds should overlap the window by at least 1-1/2" on each side to ensure privacy and control sunlight. For "no sill" installation, also allow a 1-1/2" overlap at the bottom of the window. **Blinds will be made to exact measurements.** Note: the finished blind length may have a tolerance of +1-1/2" or -1/4".

MEASURING FOR INSIDE MOUNT:



Measure the window opening width in 3 different places. Use the **narrowest dimension when ordering.** Be exact! Blinds will be made slightly narrower at the factory to avoid rubbing the window casing. Note: the finished blind length may have a tolerance of +1/2".



As a complement to our interior shutters, Southern Shutter Company is proud to offer expertly crafted horizontal wood blinds. Blinds may be ordered in a variety of decorator colors with color coordinated tapes. High quality blinds are crafted from American hardwoods, but blinds are also available in a faux wood (synthetic) material. All blinds are custom cut to fit to your specific dimensions. Wood blinds are available in 1" and 2" widths with a smooth finish, or 2" wood blinds may be specified with a sandblasted finish making the wood-grain more pronounced. Synthetic blinds are available only in 2" widths. Standard blinds are operated by a corded tilt, but an operating wand may be substituted. 1" color tapes may also be added as a decorative option. For that final touch, a wood valance is supplied with each set of blinds to cover the headrail.

INTERIOR SAVANNAH

PLANTATION SHUTTERS



SPECIFICATIONS

SIDE STILES		TOP RAIL		CENTER RAIL		BOTTOM RAIL		LOUVERS	
1-3/4"	wide	1-1/8"	thick	4-1/2"	wide	15/16"	thick	2-1/4"	wide
15/16"	wide	15/16"	thick	15/16"	wide	3-3/16"	wide	4-1/2"	wide
15/16"	wide	15/16"	thick	15/16"	wide	15/16"	thick	1-7/8"	wide
3/8"	thick	3/8"	thick	3/8"	thick	3/8"	thick	2-3/8"	wide
3-1/2"	wide	3-1/2"	wide	3-1/2"	wide	3-1/2"	wide	3-1/2"	wide

Old-style elegance and superior durability are trademarks of our Interior Savannah Plantation. Select, furniture-grade wood is handcrafted to make this movable louver shutter. Shutters are available with 1-7/8", 2-1/2", 3-1/2" or 4-1/2" inch louver blade widths. The 1-1/8" thick by 1-3/4" side-styles give this shutter a stout construction to satisfy those who want the best. Glue and 3" wood screws ensure this shutter will stand years of wear and tear. Tension screws allow adjustment of slat tension to prevent drooping of the slats. Interior Savannah Plantation shutter design incorporates a 1-1/2" trim on top and bottom rails. All interior Savannah Plantation Shutters can be ordered primed or painted and painted or stained with hanging system ready for installation.

Note: All Interior Plantation Shutters are shipped pre-primed unless stain-grade is requested.

PRE-FINISHING OPTIONS FOR INTERIOR SHUTTERS

As an added service to our customers Southern Shutter Company is proud to offer our quality shutters pre-finished and ready to install.


- **FINISHING OPTION 1: Primed with Hanging System**
Ready for Finishing and Installation. Each shutter is cut to fit, sanded, primed with quality lacquer primer and sanded again in preparation for final finishing. The primed shutters are professionally pre-hung in mounting frames to ensure proper fit, then disassembled for shipping. *Mounting hardware included — not pre-hung.*
- **FINISHING OPTION 2: Primed and Finished with Hanging System**
Ready for Installation. Each shutter is cut to fit, sanded, primed with oil-based enamel is then applied. The finished shutters are pre-hung in mounting frames to ensure proper fit, then disassembled for shipping. *Mounting hardware included — not pre-hung.*
- **FINISHING OPTION 3: Pre-Sanded and Stained with Hanging System**
Ready for Installation. Each shutter is sanded and stained with quality stain. The finished shutters are pre-hung in mounting frames to ensure proper fit, then disassembled for shipping. *Mounting hardware included — not pre-hung.*



INTERIOR MORTISE & TENON COLONIAL SHUTTERS

INTERIOR MORTISE & TENON COLONIAL SHUTTERS. The interior colonial true louver shutter/door is a stunning piece of millwork. Incorporating authentic mortise and tenon construction with oversized stiles, rails, and a beveled slat to create an interior louvered shutter/door that is as beautiful as it is solid. This historically correct approach towards construction utilizes no mechanical fasteners.

This interior grade shutter is constructed of Basswood. Light in weight, and having a clean white color, it is a great choice for staining or painting. Shutter design incorporates a 1" trim on top and bottom rails.



This shutter can be used as bi-fold, bar, or bathroom stall door or any other application that requires louvered shutters/doors. For unsurpassed quality the interior colonial true louver is the finest available.

SPECIFICATIONS	
SIDE STILES	2" wide 1-3/8" thick
TOP RAIL	4" wide 1-3/16" thick
CENTER RAIL	4" wide 1-3/16" thick
BOTTOM RAIL	4" wide 1-3/16" thick
LOUVERS	2-1/2" wide 3/8" thick




INTERIOR WOOD SHUTTERS

INTERIOR RAISED PANEL SHUTTERS

INTERIOR RAISED PANEL SHUTTERS. Select, furniture-grade Basswood is handcrafted to make this interior raised panel shutter. Panels are raised on both sides and with recessed stile and rail construction this shutter is a classic addition to any home. 1-1/8" thick by 1-3/4" side-stiles give this shutter a stout construction that satisfies those who want the best. Mortise-and-tenon construction is used to ensure durability and performance for the life of the shutter. All interior Raised Panel Shutters can be ordered primed or painted and painted or stained with hanging system ready for installation.

The standard panel layout is made in two equal sections. Three panel layouts are available in other popular configurations, or cross rails may be custom placed as in the illustrations to the left.

SPECIFICATIONS	
SIDE STILES	1-3/4" wide 1-1/8" thick
TOP RAIL	4" wide 15/16" thick
CENTER RAIL	2-15/16" wide 15/16" thick
BOTTOM RAIL	4" wide 15/16" thick
PANELS	7/8" thick





SOUTHERN SHUTTER COMPANY



INTERIOR WOOD SHUTTERS • EASY-FIT SHUTTERSETS

HORIZONTAL WOOD BLINDS

Telephone 334.264.6158 • Toll Free 1.800.344.8590 • Fax 334.264.6001
www.southernshutter.com
email: sales@southernshutter.com